

GENERAL NOTES:


1. ALL RAFTERS ARE 2"X8" @ 24" O.C. (AT 2'X6" @ 16" O.C.)
2. CONTRACTOR SHALL PROVIDE BRACING IN ATTIC SPACING TO LIMIT CLEAR SPAN OF RAFTERS TO 14'-0" MAX
3. ALL VALLEY RAFTERS AND HIP RAFTERS SHALL BE 2"X10"



COPYRIGHT NOTE
ALL RIGHTS RESERVED
THESE DRAWINGS AND SPECIFICATIONS SHALL REMAIN THE PROPERTY OF THE DRAFTER AND SHALL NOT BE USED FOR ANY OTHER PROJECTS WITHOUT THE WRITTEN CONSENT OF THE DRAFTER. THESE DRAWINGS ARE NOT TO BE REPRODUCED OR COPIED IN ANY FORM OR MANNER WHATSOEVER. THEY ARE TO BE ASSIGNED TO ANY THIRD PARTY WITHOUT FIRST OBTAINING THE WRITTEN PERMISSION AND CONSENT OF THE DRAFTER.

THE ABRAHAM

DENNIS ARMSTRONG
P.O. BOX 121
MILNER GA. 30257
PHONE TIO-358-1438
FAX TIO-358-2161



JOB NUMBER:
343-2